


Product feature


1. The main and auxiliary parts are pneumatic pipe joints made of copper.
2. The joint has excellent flame resistance, heat resistance and splash resistance.
3. When inserting and removing the pipe, press the button down, which can be easily inserted and removed without damaging the pipe.
4. After installation, the direction of connecting pipe can be adjusted only by rotating the connector body.

Schematic diagram of structure

I Type



II Type



Ordering code (example)

NPLT
Model

8

—

02

B

A: The blank is type A precision joint
B: B is type B precision joint with spring type

Tube size


Tube size	Metric size					
Code name	4	6	8	10	12	16
Size (mm)	Φ4	Φ6	Φ8	Φ10	Φ12	Φ16

Thread specification

	55° taper pipe thread						Metric thread			55° straight pipe thread					
Code name	01	02	03	04	06		M3	M5	M6	G01	G02	G03	G04	G06	
Thread	R1/8	R1/4	R3/8	R1/2	R3/4		M3×0.5	M5×0.8	M6×1.0	G1/8	G1/4	G3/8	G1/2	G3/4	

Note: NPT thread are available.

NPCT Series



Model	ΦD	T	A	L	ΦP	
NPCT04-M5	4	M5×0.8	3.5	23.5	10	10
NPCT04-01		R01	8	23	10	10
NPCT04-02		R02	10	23.5	10	14
NPCT06-M5	6	M5×0.8	3.5	24.2	12	12
NPCT06-01		R01	8	24.5	12	12
NPCT06-02		R02	10	24.7	12	14
NPCT08-01	8	R01	8	28.2	14	14
NPCT08-02		R02	10	27.2	14	14
NPCT08-03		R03	11	27.2	14	17
NPCT08-04		R04	14	27.2	14	21
NPCT010-01	10	R01	8	30.7	16	17
NPCT010-02		R02	10	31.2	16	17
NPCT010-03		R03	11	31.2	16	17
NPCT010-04		R04	14	31.2	16	21
NPCT012-02	12	R02	10	33.2	18	19
NPCT012-03		R03	11	32.2	18	19
NPCT012-04		R04	14	31.7	18	21
NPCT016-03	16	R03	11	37	22	22
NPCT016-04		R04	14	39	22	22

Fittings,
Air Hose

Quick
Fittings

Mini Quick
Fittings

Rotary
Joint

Stop
Fittings

Check
Valves

Speed
Controllers

Hand
Valves

Ball
Valves

Air Control
Valves

Push-IN
Fittings

316L
Fittings

KIS-A
(ISO A)

KIS-B
(ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310
(ISO-B6)

430
(ISO-B8)

550
(ISO-B12)

20 (Super
Mini Type)

21
(Mini Type)

320
(EURO 7.6)

410
(EURO 10.5)

210
(ARO210)

19
(ASIA)

200
(ASIA)

Pipe
Fittings

Brass Ball
Valves

US98A,
UE95A

UCS

PA12,
PA6

UN54D

Air Gun

Tracheal
Scissors

Silencers

Fittings,
Air Hose

Quick
Fittings

Mini Quick
Fittings

Rotary
Joint

Stop
Fittings

Check
Valves

Speed
Controllers

Hand
Valves

Ball
Valves

Air Control
Valves

Push-IN
Fittings

316L
Fittings

KIS-A
(ISO A)

KIS-B
(ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310
(ISO-B6)

430
(ISO-B8)

550
(ISO-B12)

20 (Super
Mini Type)

21
(Mini Type)

320
(EURO 7.6)

410
(EURO 10.5)

210
(ARO210)

19
(ASIA)

200
(ASIA)

Pipe
Fittings

Brass Ball
Valves

US98A,
UE95A

UCS

PA12,
PA6


UN54D

Air Gun

Tracheal
Scissors


Silencers

NPCT-G Series




Model	ΦD	T	A	L	ΦP	
NPCT04-G01	4	G01	5.5	23	10	10
NPCT04-G02		G02	6.5	23	10	14
NPCT06-G01	6	G01	5.5	23.4	12	14
NPCT06-G02		G02	6.5	23.4	12	12
NPCT08-G01	8	G01	5.5	27.7	14	14
NPCT08-G02		G02	6.5	26.2	14	14
NPCT08-G03		G03	7.5	26.2	14	14
NPCT08-G04		G04	10	26.2	14	14
NPCT010-G01	10	G01	5.5	29.7	16	17
NPCT010-G02		G02	6.5	30.2	16	17
NPCT010-G03		G03	7.5	29.2	16	17
NPCT010-G04		G04	10	29.2	16	17
NPCT012-G02	12	G02	6.5	30.7	18	19
NPCT012-G03		G03	7.5	30.2	18	19
NPCT012-G04		G04	10	29.5	18	19
NPCT016-G03	16	G03	7.5	36.5	22	22
NPCT016-G04		G04	10	28.5	22	24

NPLT Series




Model	ΦD	T	A	L	E	ΦP	
NPLT04-M5	4	M5×0.8	3.5	23.5	15.8	10	8
NPLT04-R01		R01	8	23.5	19.3	10	10
NPLT04-R02		R02	10	23.5	21.8	10	14
NPLT06-M5	6	M5×0.8	3.5	24.7	16.8	12	10
NPLT06-R01		R01	8	24.7	20.4	12	10
NPLT06-R02		R02	10	24.7	22.9	12	14
NPLT08-R01	8	R01	8	27.2	22.5	14	12
NPLT08-R02		R02	10	27.2	24.5	14	14
NPLT08-R03		R03	11	27.2	25.5	14	17
NPLT08-R04		R04	14	27.2	29	14	21
NPLT010-R01	10	R01	8	31.7	23.5	16	14
NPLT010-R02		R02	10	31.7	25.5	16	14
NPLT010-R03		R03	11	31.7	26.5	16	17
NPLT010-R04		R04	14	31.7	30	16	21
NPLT012-R02	12	R02	10	32.2	26.7	18	17
NPLT012-R03		R03	11	32.2	27.7	18	17
NPLT012-R04		R04	14	32.5	31.2	18	21
NPLT016-R03	16	R03	11	37	29.8	22	21
NPLT016-R04		R04	14	37	32.8	22	21

NPLT-G Series




Model	ΦD	T	A	L	E	ΦP	
NPLT04-G01	4	G01	5.5	23.5	19.3	10	10
NPLT04-G02		G02	6.5	23.5	20.3	10	10
NPLT06-G01	6	G01	5.5	24.7	20.4	10	10
NPLT06-G02		G02	6.5	24.7	21.4	10	10
NPLT08-G01	8	G01	5.5	27.7	21	14	12
NPLT08-G02		G02	6.5	27.7	23	14	12
NPLT08-G03		G03	7.5	27.7	23.5	14	12
NPLT08-G04		G04	10	27.7	27.5	14	12
NPLT010-G01	10	G01	5.5	31.7	22	16	14
NPLT010-G02		G02	6.5	31.7	24	16	14
NPLT010-G03		G03	7.5	31.7	24.5	16	14
NPLT010-G04		G04	10	31.7	28.5	16	14
NPLT012-G02	12	G02	6.5	32.2	24.7	18	17
NPLT012-G03		G03	7.5	32.2	25.7	18	17
NPLT012-G04		G04	10	32.2	29.7	18	17
NPLT016-G03	16	G03	7.5	37	28.8	22	21
NPLT016-G04		G04	10	37	31.3	22	24

NPBT Series




Model	ΦD	T	A	L	E	ΦP	
NPBT04-M5	4	M5×0.8	3.5	47	15.8	10	10
NPBT04-01		R01	8	47	19.3	10	10
NPBT04-02		R02	10	47	21.8	10	14
NPBT06-M5	6	M5×0.8	3.5	49.4	16.8	12	10
NPBT06-01		R01	8	49.4	20.4	12	10
NPBT06-02		R02	10	49.4	22.9	12	14
NPBT08-01	8	R01	8	55.4	22.5	14	12
NPBT08-02		R02	10	55.4	24.5	14	14
NPBT08-03		R03	11	55.4	25.5	14	17
NPBT08-04	10	R04	14	55.4	29	14	21
NPBT010-01		R01	8	63.4	23.5	16	14
NPBT010-02		R02	10	63.4	25.5	16	14
NPBT010-03		R03	11	63.4	26.5	16	17
NPBT010-04		R04	14	63.4	30	16	21
NPBT012-02	12	R02	10	64.4	26.7	18	17
NPBT012-03		R03	11	64.4	27.7	18	17
NPBT012-04		R04	14	64.4	31.2	18	21
NPBT016-03	16	R03	11	74	29.8	22	21
NPBT016-04		R04	14	74	32.8	22	21

NPBT-G Series



Model	ΦD	T	A	L	E	ΦP	
NPBT04-G01	4	G01	5.5	47	19.3	10	10
NPBT04-G02		G02	6.5	47	20.3	10	10
NPBT06-G01	6	G01	5.5	49.4	20.4	12	10
NPBT06-G02		G02	6.5	49.4	21.4	12	10
NPBT08-G01	8	G01	5.5	55.4	21	14	12
NPBT08-G02		G02	6.5	55.4	23	14	12
NPBT08-G03		G03	7.5	55.4	23.5	14	12
NPBT08-G04		G04	10	55.4	27.5	14	12
NPBT010-G01	10	G01	5.5	63.4	22	16	14
NPBT010-G02		G02	6.5	63.4	24	16	14
NPBT010-G03		G03	7.5	63.4	24.5	16	14
NPBT010-G04		G04	10	63.4	28.5	16	14
NPBT012-G02	12	G02	6.5	64.4	24.7	18	17
NPBT012-G03		G03	7.5	64.4	25.7	18	17
NPBT012-G04		G04	10	64.4	29.7	18	17
NPBT016-G03	16	R03	7.5	74	28.8	22	21
NPBT016-G04		R04	10	74	31.3	22	24

NPDT Series



Model	ΦD	T	A	L	E	ΦP	
NPDT04-M5	4	M5×0.8	3.5	39.3	23.5	10	8
NPDT04-01		R01	8	42.8	23.5	10	10
NPDT04-02		R02	10	45.2	23.5	10	14
NPDT06-M5	6	M5×0.8	3.5	41.5	24.7	12	10
NPDT06-01		R01	8	45.1	24.7	12	10
NPDT06-02		R02	10	47.6	24.7	12	14
NPDT08-01	8	R01	8	50.2	27.7	14	12
NPDT08-02		R02	10	52.2	27.7	14	14
NPDT08-03		R03	11	53.2	27.7	14	17
NPDT08-04		R04	14	56.7	27.7	14	21
NPDT010-01	10	R01	8	55.2	31.7	16	14
NPDT010-02		R02	10	57.2	31.7	16	14
NPDT010-03		R03	11	58.2	31.7	16	17
NPDT010-04		R04	14	61.7	31.7	16	21
NPDT012-02	12	R02	10	58.9	32.2	18	17
NPDT012-03		R03	11	59.9	32.2	18	17
NPDT012-04		R04	14	63.4	32.2	18	21
NPDT016-03	16	R03	11	66.8	37	22	21
NPDT016-04		R04	14	69.8	37	22	21

Fittings,
Air Hose

Quick
Fittings

Mini Quick
Fittings

Rotary
Joint

Stop
Fittings

Check
Valves

Speed
Controllers

Hand
Valves

Ball
Valves

Air Control
Valves

Push-IN
Fittings

316L
Fittings

KIS-A
(ISO A)

KIS-B
(ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310
(ISO-B6)

430
(ISO-B8)

550
(ISO-B12)

20 (Super
Mini Type)

21
(Mini Type)

320
(EURO 7.6)

410
(EURO 10.5)

210
(ARO210)

19
(ASIA)

200
(ASIA)

Pipe
Fittings

Brass Ball
Valves

US98A,
UE95A

UCS

PA12,
PA6

UN54D

Air Gun

Tracheal
Scissors

Silencers

Fittings,
Air Hose

Quick
Fittings

Mini Quick
Fittings

Rotary
Joint

Stop
Fittings

Check
Valves

Speed
Controllers

Hand
Valves

Ball
Valves

Air Control
Valves

Push-IN
Fittings

316L
Fittings

KIS-A
(ISO A)

KIS-B
(ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310
(ISO-B6)

430
(ISO-B8)

550
(ISO-B12)

20 (Super
Mini Type)

21
(Mini Type)

320
(EURO 7.6)

410
(EURO 10.5)

210
(ARO210)

19
(ASIA)

200
(ASIA)

Pipe
Fittings

Brass Ball
Valves

US98A,
UE95A

UCS

PA12,
PA6


UN54D

Air Gun

Tracheal
Scissors


Silencers

NPDT-G Series




Model	ΦD	T	A	L	E	ΦP	
NPDT04-G01	4	G01	5.5	42.8	23.5	10	10
NPDT04-G02		G02	6.5	43.8	23.5	10	10
NPDT06-G01	6	G01	5.5	45.1	24.7	12	10
NPDT06-G02		G02	6.5	46.1	24.7	12	10
NPDT08-G01	8	G01	5.5	48.7	27.4	14	12
NPDT08-G02		G02	6.5	50.7	27.4	14	12
NPDT08-G03		G03	7.5	51.2	27.4	14	12
NPDT08-G04		G04	10	55.2	27.4	14	12
NPDT010-G01	10	G01	5.5	53.7	31.7	16	14
NPDT010-G02		G02	6.5	55.7	31.7	16	14
NPDT010-G03		G03	7.5	56.2	31.7	16	14
NPDT010-G04		G04	10	60.2	31.7	16	14
NPDT012-G02	12	G02	6.5	56.9	32.2	18	17
NPDT012-G03		G03	7.5	57.9	32.2	18	17
NPDT012-G04		G04	10	61.9	32.2	18	17
NPDT016-G03	16	G03	7.5	65.8	37	22	21
NPDT016-G04		G04	10	68.3	37	22	24

NPCFT Series




Model	ΦD	T	A	L	ΦP	
NPCFT04-M5	4	M5×0.8	5	24.5	10	10
NPCFT04-R01		R01	8	27.5	10	14
NPCFT04-R02		R02	10	30	10	17
NPCFT06-M5	6	M5×0.8	5	24.7	12	12
NPCFT06-R01		R01	8	28.2	12	14
NPCFT06-R02		R02	10	30.7	12	17
NPCFT08-R01	8	R01	8	28.7	14	14
NPCFT08-R02		R02	10	31.5	14	17
NPCFT08-R03		R03	11	32.5	14	20
NPCFT08-R04		R04	14	34.5	14	24
NPCFT010-R01	10	R01	8	29.7	16	17
NPCFT010-R02		R02	10	33.2	16	17
NPCFT010-R03		R03	11	34.2	16	20
NPCFT010-R04		R04	14	36.2	16	24
NPCFT012-R02	12	R02	10	33.7	18	19
NPCFT012-R03		R03	11	34.7	18	20
NPCFT012-R04		R04	14	36.7	18	24
NPCFT016-R03	16	R03	11	39	22	22
NPCFT016-R04		R04	14	42	22	24

NPCFT-G Series




Model	ΦD	T	A	L	ΦP	
NPCFT04-G01	4	G01	8	27.5	10	14
NPCFT04-G02		G02	10	30	10	17
NPCFT06-G01	6	G01	8	28.2	12	14
NPCFT06-G02		G02	10	30.7	12	17
NPCFT08-G01	8	G01	8	28.7	14	14
NPCFT08-G02		G02	10	31.5	14	17
NPCFT08-G03		G03	11	32.5	14	20
NPCFT08-G04		G04	14	34.5	14	24
NPCFT010-G01	10	G01	8	29.7	16	17
NPCFT010-G02		G02	10	33.2	16	17
NPCFT010-G03		G03	11	34.2	16	20
NPCFT010-G04		G04	14	36.2	16	24
NPCFT012-G02	12	G02	10	33.7	18	19
NPCFT012-G03		G03	11	34.7	18	20
NPCFT012-G04		G04	14	36.7	18	24
NPCFT016-G03	16	G03	11	39	22	22
NPCFT016-G04		G04	14	42	22	24

NPMFT Series




Model	ΦD	T1	T2	A	L	ΦP	1	2
NPMFT04-M5	4	M5×0.8	M12×1.0	5	24.5	10	14	14
NPMFT04-01		R01	M12×1.0	8	27.5	10	14	14
NPMFT04-02		R02	M12×1.0	10	30	10	17	14
NPMFT06-M5	6	M5×0.8	M14×1.0	5	24.7	12	17	17
NPMFT06-01		R01	M14×1.0	8	28.2	12	17	17
NPMFT06-02		R02	M14×1.0	10	30.7	12	17	17
NPMFT08-01	8	R01	M16×1.0	8	28.7	14	19	19
NPMFT08-02		R02	M16×1.0	10	31.5	14	19	19
NPMFT08-03		R03	M16×1.0	11	32.5	14	20	19
NPMFT08-04		R04	M16×1.0	14	34.5	14	24	19
NPMFT010-01	10	R01	M18×1.0	8	29.7	16	21	21
NPMFT010-02		R02	M18×1.0	10	33.2	16	21	21
NPMFT010-03		R03	M18×1.0	11	34.2	16	21	21
NPMFT010-04		R04	M18×1.0	14	36.2	16	24	21
NPMFT012-02	12	R02	M20×1.0	10	33.7	18	24	24
NPMFT012-03		R03	M20×1.0	11	34.7	18	24	24
NPMFT012-04		R04	M20×1.0	14	36.7	18	24	24

NPMFT-G Series



Model	ΦD	T1	T2	A	L	ΦP	1	2
NPMFT04-G01	4	G01	M12×1.0	8	27.5	10	14	14
NPMFT04-G02		G02	M12×1.0	10	30	10	17	14
NPMFT06-G01	6	G01	M14×1.0	8	28.2	12	17	17
NPMFT06-G02		G02	M14×1.0	10	30.7	12	17	17
NPMFT08-G01	8	G01	M16×1.0	8	28.7	14	19	19
NPMFT08-G02		G02	M16×1.0	10	31.5	14	19	19
NPMFT08-G03		G03	M16×1.0	11	32.5	14	20	19
NPMFT08-G04		G04	M16×1.0	14	34.5	14	24	19
NPMFT010-G01	10	G01	M18×1.0	8	29.7	16	21	21
NPMFT010-G02		G02	M18×1.0	10	33.2	16	21	21
NPMFT010-G03		G03	M18×1.0	11	34.2	16	21	21
NPMFT010-G04		G04	M18×1.0	14	36.2	16	24	21
NPMFT012-G02	12	G02	M20×1.0	10	33.7	18	24	24
NPMFT012-G03		G03	M20×1.0	11	34.7	18	24	24
NPMFT012-G04		G04	M20×1.0	14	36.7	18	24	24

NPOCT Series



Model	ΦD	T	A	L	ΦP1	ΦP2	QI
NPOCT04-M5	4	M5×0.8	3.5	23.5	10	10	2
NPOCT04-01		R01	8	23	10	10	3
NPOCT04-02		R02	10	23	13.4	10	3
NPOCT06-M5	6	M5×0.8	3.5	24.2	12	12	2
NPOCT06-01		R01	8	24.5	12	12	5
NPOCT06-02		R02	10	24.7	13.4	12	5
NPOCT08-01	8	R01	8	28.2	14	14	5
NPOCT08-02		R02	10	27.2	14	14	6
NPOCT08-03		R03	11	27.2	17	14	6
NPOCT08-04		R04	14	27.2	21	14	6
NPOCT010-01	10	R01	8	30.7	16	16	5
NPOCT010-02		R02	10	31.2	16	16	6
NPOCT010-03		R03	11	31.2	17	16	8
NPOCT010-04		R04	14	31.2	21	16	8
NPOCT012-02	12	R02	10	33.2	18	18	6
NPOCT012-03		R03	11	32.2	18	18	8
NPOCT012-04		R04	14	31.7	21	18	8

Note: there are Inch size 5/32, 1/4, 5/16, 3/8, 1/2 completed series products.

Fittings,
Air Hose

Quick
Fittings

Mini Quick
Fittings

Rotary
Joint

Stop
Fittings

Check
Valves

Speed
Controllers

Hand
Valves

Ball
Valves

Air Control
Valves

Push-IN
Fittings

316L
Fittings

KIS-A
(ISO A)

KIS-B
(ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310
(ISO-B6)

430
(ISO-B8)

550
(ISO-B12)

20 (Super
Mini Type)

21
(Mini Type)

320
(EURO 7.6)

410
(EURO 10.5)

210
(ARO210)

19
(ASIA)

200
(ASIA)

Pipe
Fittings

Brass Ball
Valves

US98A,
UE95A

UCS

PA12,
PA6

UN54D

Air Gun

Tracheal
Scissors

Silencers

Fittings,
Air Hose

Quick
Fittings

Mini Quick
Fittings

Rotary
Joint

Stop
Fittings

Check
Valves

Speed
Controllers

Hand
Valves

Ball
Valves

Air Control
Valves

Push-IN
Fittings

316L
Fittings

KIS-A
(ISO A)

KIS-B
(ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310
(ISO-B6)

430
(ISO-B8)

550
(ISO-B12)

20 (Super
Mini Type)

21
(Mini Type)

320
(EURO 7.6)

410
(EURO 10.5)

210
(ARO210)

19
(ASIA)

200
(ASIA)

Pipe
Fittings

Brass Ball
Valves

US98A,
UE95A

UCS

PA12,
PA6


UN54D

Air Gun

Tracheal
Scissors

Silencers


NPMT Series



Model	ΦD	T	L	ΦP	
NPMT04	4	M12×1.0	37.6	10	14
NPMT06	6	M14×1.0	38.4	12	17
NPMT08	8	M16×1.0	40.4	14	19
NPMT10	10	M18×1.0	44	16	21
NPMT12	12	M20×1.0	45	18	24
NPMT16	16	M24×1.0	55	22	30

Note: there are Inch size 5/32, 1/4, 5/16, 3/8, 1/2 completed series products.


NPGJT Series



Model	ΦD1	ΦD2	L	E	ΦP
NPGJT06-04	6	4	35	21	10
NPGJT08-06	8	6	36	22	12
NPGJT10-08	10	8	41	23	14
NPGJT12-10	12	10	44	25	16

Note: there are Inch size 5/32, 1/4, 5/16, 3/8, 1/2 completed series products.


NPUT Series



Model	ΦD1	ΦD2	L	ΦP1	ΦP2
NPUT04	4	4	37.6	10	10
NPUT06	6	6	38.4	12	12
NPUT08	8	8	40.4	14	14
NPUT10	10	10	44	16	16
NPUT12	12	12	45	18	18
NPUT16	16	16	55	22	22
NPUT06-04	6	4	38	12	10
NPUT08-06	8	6	39.4	14	12
NPUT10-08	10	8	42.2	16	14
NPUT12-10	12	10	44.5	18	16

Note: there are Inch size 5/32, 1/4, 5/16, 3/8, 1/2 completed series products.


NPVT Series



Model	ΦD	L	ΦP
NPVT04	4	23.5	10
NPVT06	6	24.7	12
NPVT08	8	27.7	14
NPVT10	10	31.7	16
NPVT12	12	32.2	18
NPVT16	16	37	22

Note: there are Inch size 5/32, 1/4, 5/16, 3/8, 1/2 completed series products.


NPET Series



Model	ΦD	L	E	ΦP
NPET04	4	47	23.5	10
NPET06	6	49.4	24.7	12
NPET08	8	55.4	27.7	14
NPET10	10	63.4	31.7	16
NPET12	12	64.4	32.2	18
NPET16	16	74	37	22

Note: there are Inch size 5/32, 1/4, 5/16, 3/8, 1/2 completed series products.

NPYT Series



Model	ΦD	L	E	ΦP
NPYT04	4	42	10	10
NPYT06	6	44.2	12	12
NPYT08	8	49.7	14	14
NPYT10	10	56.3	16	16
NPYT12	12	56.4	18	18

Note: there are Inch size 5/32, 1/4, 5/16, 3/8, 1/2 completed series products.

Fittings,
Air Hose

Quick
Fittings

Mini Quick
Fittings

Rotary
Joint

Stop
Fittings

Check
Valves

Speed
Controllers

Hand
Valves

Ball
Valves

Air Control
Valves

Push-IN
Fittings

316L
Fittings

KIS-A
(ISO A)

KIS-B
(ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310
(ISO-B6)

430
(ISO-B8)

550
(ISO-B12)

20 (Super
Mini Type)

21
(Mini Type)

320
(EURO 7.6)

410
(EURO 10.5)

210
(ARO210)

19
(ASIA)

200
(ASIA)

Pipe
Fittings

Brass Ball
Valves

US98A,
UE95A

UCS

PA12,
PA6

UN54D

Air Gun

Tracheal
Scissors

Silencers

Fittings,
Air Hose

Quick
Fittings

Mini Quick
Fittings

Rotary
Joint

Stop
Fittings

Check
Valves

Speed
Controllers

Hand
Valves

Ball
Valves

Air Control
Valves

Push-IN
Fittings

316L
Fittings

KIS-A
(ISO A)

KIS-B
(ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310
(ISO-B6)

430
(ISO-B8)

550
(ISO-B12)

20 (Super
Mini Type)

21
(Mini Type)

320
(EURO 7.6)

410
(EURO 10.5)

210
(ARO210)

19
(ASIA)

200
(ASIA)

Pipe
Fittings

Brass Ball
Valves

US98A,
UE95A

UCS

PA12,
PA6


UN54D

Air Gun

Tracheal
Scissors

Silencers


NPWT Series



Model	ΦD	T	A	L	E	ΦP	
NPWT04-M5	4	M5×0.8	3.5	38	10	10	10
NPWT04-01		R01	8	41	10	10	10
NPWT04-02		R02	10	43.5	10	10	14
NPWT06-M5	6	M5×0.8	3.5	41	12	12	10
NPWT06-01		R01	8	44	12	12	10
NPWT06-02		R02	10	46.5	12	12	14
NPWT08-01	8	R01	8	49	14	14	12
NPWT08-02		R02	10	51	14	14	14
NPWT08-03		R03	11	52	14	14	14
NPWT08-04		R04	14	55.5	14	14	14
NPWT10-01	10	R01	8	53	16	16	14
NPWT10-02		R02	10	55	16	16	14
NPWT10-03		R03	11	56	16	16	17
NPWT10-04		R04	14	59.5	16	16	21
NPWT12-02	12	R02	10	55.7	18	18	17
NPWT12-03		R03	11	56.7	18	18	17
NPWT12-04		R04	14	60.2	18	18	21


Note: there are Inch size 5/32, 1/4, 5/16, 3/8, 1/2 completed series products.

NPHT Series




Model	ΦD	T	A	L	E	ΦP	
NPHT04-M5	4	M5×0.8	3.5	17	23.5	10	8
NPHT04-01		R01	8	24	24	10	12
NPHT04-02		R02	10	26.5	26	10	14
NPHT06-M5	6	M5×0.8	3.5	17	24.2	12	8
NPHT06-01		R01	8	24	24	12	12
NPHT06-02		R02	10	26.5	26	12	14
NPHT08-01	8	R01	8	24	25.5	14	12
NPHT08-02		R02	10	26.5	27.5	14	14
NPHT08-03		R03	11	32	29.5	14	19
NPHT08-04		R04	14	39	34.7	14	24
NPHT10-02	10	R02	10	26.5	31.2	16	14
NPHT10-03		R03	11	32	32	16	19
NPHT10-04		R04	14	39	36.2	16	24
NPHT12-03	12	R03	11	32	35.5	18	19
NPHT12-04		R04	14	39	36.7	18	24

NPHT-G Series



Model	ΦD	T	A	L	E	ΦP	
NPHT04-G01	4	G01	5	23.5	24	10	12
NPHT04-G02		G02	7.5	27	26	10	14
NPHT06-G01	6	G01	5	23.5	24	12	12
NPHT06-G02		G02	7.5	27	26	12	14
NPHT08-G01	8	G01	5	23.5	25.5	14	12
NPHT08-G02		G02	7.5	27	27.5	14	14
NPHT08-G03		G03	7.5	32	29.5	14	19
NPHT08-G04		G04	10	39	34.7	14	24
NPHT10-G02	10	G02	7.5	27	31.2	16	14
NPHT10-G03		G03	7.5	32	32	16	19
NPHT10-G04		G04	10	39	36.2	16	24
NPHT12-G03	12	G03	7.5	32	35.7	18	19
NPHT12-G04		G04	10	39	36.7	18	24


NPZT Series



Model	ΦD	L	ΦP
NPZT04	4	47	10
NPZT06	6	49.4	12
NPZT08	8	55.4	14
NPZT10	10	63.4	16
NPZT12	12	64.4	18


Note: there are Inch size 5/32, 1/4, 5/16, 3/8, 1/2 completed series products.

NSCT Series



Model	ΦD	T	A	L-MIN	L-MAX	E	ΦP	Icon
NSCT04-M5	4	M5×0.8	3.5	29	31.5	23.5	10	8
NSCT04-01		R01	8	35	40.5	24	10	12
NSCT04-02		R02	10	41.5	47	26	10	14
NSCT06-M5	6	M5×0.8	3.5	29	31.5	24.2	12	8
NSCT06-01		R01	8	35	40.5	24	12	12
NSCT06-02		R02	10	41.5	47	26	12	14
NSCT08-01	8	R01	8	35	40.5	25.5	14	12
NSCT08-02		R02	10	41.5	47	27.5	14	14
NSCT08-03		R03	11	48	53.5	29.5	14	19
NSCT08-04		R04	14	53.5	59.5	34.7	14	24
NSCT010-02	10	R02	10	41.5	47	31.2	16	14
NSCT010-03		R03	11	48	53.5	32	16	19
NSCT010-04		R04	14	53.5	59.5	36.2	16	24
NSCT012-03	12	R03	11	48	53.5	35.7	18	19
NSCT012-04		R04	14	53.5	59.5	36.7	18	24

NSCT-G Series



Model	ΦD	T	A	L-MIN	L-MAX	E	ΦP	Icon
NSCT04-G01	4	G01	5	35	40.5	24	10	12
NSCT04-G02		G02	7.5	41.5	47	26	10	14
NSCT06-G01	6	G01	5	35	40.5	24	12	12
NSCT06-G02		G02	7.5	41.5	47	26	12	14
NSCT08-G01	8	G01	5	35	40.5	25.5	14	12
NSCT08-G02		G02	7.5	41.5	47	27.5	14	14
NSCT08-G03		G03	7.5	48	53.5	29.5	14	19
NSCT08-G04		G04	10	53.5	59.5	34.7	14	24
NSCT010-G02	10	G02	7.5	41.5	47	31.2	16	14
NSCT010-G03		G03	7.5	48	53.5	32	16	19
NSCT010-G04		G04	10	53.5	59.5	36.2	16	24
NSCT012-G03	12	G03	7.5	48	53.5	35.7	18	19
NSCT012-G04		G04	10	53.5	59.5	36.7	18	24

Fittings,
Air Hose

Quick
Fittings

Mini Quick
Fittings

Rotary
Joint

Stop
Fittings

Check
Valves

Speed
Controllers

Hand
Valves

Ball
Valves

Air Control
Valves

Push-IN
Fittings

316L
Fittings

KIS-A
(ISO A)

KIS-B
(ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310
(ISO-B6)

430
(ISO-B8)

550
(ISO-B12)

20 (Super
Mini Type)

21
(Mini Type)

320
(EURO 7.6)

410
(EURO 10.5)

210
(ARO210)

19
(ASIA)

200
(ASIA)

Pipe
Fittings

Brass Ball
Valves

US98A,
UE95A

UCS

PA12,
PA6

UN54D

Air Gun

Tracheal
Scissors

Silencers