

Fittings,
Air Hose

Quick
Fittings

Mini Quick
Fittings

Rotary
Joint

Stop
Fittings

Check
Valves

Speed
Controllers

Hand
Valves

Ball
Valves

Ball
Valves

Air Control
Valves

Push-IN
Fittings

316L
Fittings

KIS-A
(ISO A)

KIS-B
(ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310
(ISO-B6)

430
(ISO-B8)

550
(ISO-B12)

20 (Super
Mini Type)

21
(Mini Type)

320
(EURO 7.6)

410
(EURO 10.5)

210
(ARO210)

19
(ASIA)

200
(ASIA)

Pipe
Fittings

Brass Ball
Valves

US98A,
UE95A

UCS

PA12,
PA6

UN54D

Air Gun

Tracheal
Scissors

Silencers



Product feature

Maintenance of equipment in the factory and the installation process often need different types and pipe joints, we supply all range of this kind of fittings, the pipe joints are made from brass and nickel-plated.

Thread accord with ISO 7 (BSPT), ISO 228(BSPP) and SAE AS 71051: 1999(NPT)



PSM



PSF



PSMF



PMB



POM



PSL



PO



POH



PN



PAD



PEL



PEFL



PFL



PFT



PMT



PMFS



PMSF



PMSM



PMS



PFC




PYF



PYM


Dimensions

PSM Male, thread




PART NO.					
Thread 1	Thread 2	L1	L2	L3	CH
R1/8	R1/8	20	7.5	7.5	12
R1/8	R1/4	23.5	7.5	11	14
R1/8	R3/8	24	7.5	11.5	17
R1/4	R1/4	27	11	11	14
R1/4	R3/8	27.5	11	11.5	17
R1/4	R1/2	31	11	14	22
R3/8	R3/8	28	11.5	11.5	17
R3/8	R1/2	31.5	11.5	14	22
R1/2	R1/2	34	14	14	22
R1/2	R3/4	37.5	14	16.5	27
R3/4	R3/4	40	16.5	16.5	27

PSF Female, thread




PART NO.			
Thread 1	Thread 2	L1	CH
M5x0.8	M5x0.8	11	8
M5x0.8	G1/8	13.5	14
G1/8	G1/8	15	14
G1/8	G1/4	19	17
G1/8	G3/8	20	22
G1/4	G1/4	22	17
G1/4	G3/8	22.5	22
G1/4	G1/2	26	24
G3/8	G3/8	24	22
G3/8	G1/2	26	24
G1/2	G1/2	30	27

PSMF Adaptor male-female




PART NO.				
Thread 1	Thread 2	L1	L2	CH
G1/8	R1/8	18	8	14
G1/4	R1/8	22	8	17
G1/4	R1/4	25	11	17
G3/8	R1/4	26	11	22
G3/8	R3/8	26	12	22
G1/2	R1/4	29	11	24
G1/2	R3/8	30	12	24
G1/2	R1/2	32	14	26

POM Male-female reducer




PART NO.				
Thread 1	Thread 2	L1	L2	CH
R1/4	G1/8	16	11	14
R3/8	G1/4	17	12	17
R3/8	G1/8	17	12	17
R1/2	G1/8	20	14	22
R1/2	G1/4	20	14	22
R1/2	G3/8	20	14	22
R3/4	G1/2	24	17	27

PMB Bulkhead




PART NO.				
Thread 1	Thread 2	L1	L2	CH
M5×0.8	M10×1	13	9.5	14
G1/8	M16×1.5	19	15	22
G1/4	M20×1.5	23	19	27
G3/8	M26×1.5	27	22	32
G1/2	M28×1.5	34	28	36

PO Male plug




PART NO.				
Thread	L1	L2	CH	
M5×0.8	8.5	5	8	
G1/8	10	6	14	
G1/4	13	8	17	
G3/8	14	9	19	
G1/2	16	10	24	

PN Female cap




PART NO.			
Thread	L1	CH	
G1/8	11	14	
G1/4	15	17	
G3/8	16	20	
G1/2	20	24	

PEL Male-male elbow




PART NO.					
Thread	L1	L2	L3	CH	
R1/8	18.5	18.5	8	10	
R1/4	23.5	23.5	11	13	
R3/8	26	26	12	17	
R1/2	31	31	14	21	

PFL Female-female elbow




PART NO.					
Thread 1	Thread 2	L1	L2	CH	
G1/8	G1/8	21	21	10	
G1/4	G1/4	25.5	25.5	13	
G3/8	G3/8	28	28	17	
G1/2	G1/2	34	34	21	

PSL Extension male-female adaptor




PART NO.					
Thread 1	Thread 2	L1	L2	CH	
G1/8	G1/8	22	6	14	
G1/8	G1/8	42	6	14	
G1/4	G1/4	35	8	17	
G1/4	G1/4	51	8	17	

POH Male plug with O-ring




PART NO.				
Thread	L1	L2	CH	
G1/8	9.5	6.5	5	
G1/4	12	8	6	
G3/8	13	9	8	
G1/2	14	10	10	

PAD Hose connector




PART NO.					
Hose	Thread	L1	L2	CH	
3	M5×0.8	17	5	8	
3.5	M5×0.8	17	5	8	
4.5	M5×0.8	17	5	8	
6.5	G1/8	30	6	14	
7.5	G1/4	33	8	17	
8.5	G1/8	30	6	14	
9.5	G1/8	30	6	14	
9.5	G1/4	33	8	17	
9.5	G3/8	34	9	19	
12.5	G1/4	35	8	17	
12.5	G3/8	36	9	19	
12.5	G1/2	38	10	24	
17.5	G3/8	38	9	19	
17.5	G1/2	40	10	24	

PEFL Female-male elbow



PART NO.						
Thread 1	Thread 2	L1	L2	L3	CH	
R1/8	G1/8	21	18.5	8	10	
R1/4	G1/4	25.5	23.5	11	13	
R3/8	G3/8	28	26	12	17	
R1/2	G1/2	34	31	14	21	

PFT Female tee



PART NO.				
Thread	L1	L2	CH	
G1/8	42	21	10	
G1/4	51	25.5	13	
G3/8	56	28	17	
G1/2	67	34	21	

Fittings, Air Hose

Quick Fittings

Mini Quick Fittings

Rotary Joint

Stop Fittings

Check Valves

Speed Controllers

Hand Valves

Ball Valves

Air Control Valves

Push-IN Fittings

316L Fittings

KIS-A (ISO A)

KIS-B (ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310 (ISO-B6)

430 (ISO-B8)

550 (ISO-B12)

20 (Super Mini Type)

21 (Mini Type)

320 (EURO 7.6)

410 (EURO 10.5)

210 (ARO210)

19 (ASIA)

200 (ASIA)

Pipe Fittings

Brass Ball Valves

US98A, UE95A

UCS

PA12, PA6

UN54D

Air Gun

Tracheal Scissors

Silencers

Fittings,
Air Hose

Quick
Fittings

Mini Quick
Fittings

Rotary
Joint

Stop
Fittings

Check
Valves

Speed
Controllers

Hand
Valves

Ball
Valves

Air Control
Valves

Push-IN
Fittings

316L
Fittings

KIS-A
(ISO A)

KIS-B
(ISO B)

KIS-O

KIS-PP

KZD

KZF

ST

TSP

310
(ISO-B6)

430
(ISO-B8)

550
(ISO-B12)

20 (Super
Mini Type)

21
(Mini Type)

320
(EURO 7.6)

410
(EURO 10.5)

210
(ARO210)

19
(ASIA)

200
(ASIA)

Pipe
Fittings

Brass Ball
Valves

US98A,
UE95A

UCS

PA12,
PA6


UN54D

Air Gun

Tracheal
Scissors


Silencers

PMT Female-male-female tee adaptor




PART NO.					
Thread 1	Thread 2	L1	L2	L3	CH
G1/8	R1/8	42	18.5	8	10
G1/4	R1/4	51	23.5	11	13
G3/8	R3/8	56	26	12	17
G1/2	R1/2	67	31	14	21

PMFS Female-female-male tee adaptor




PART NO.					
Thread 1	Thread 2	L1	L2	L3	CH
G1/8	R1/8	18.5	21	8	10
G1/4	R1/4	23.5	25.5	11	13
G3/8	R3/8	26	28	12	17
G1/2	R1/2	31	34	14	21

PMSF Male-male-female tee adaptor




PART NO.					
Thread 1	Thread 2	L1	L2	L3	CH
G1/8	R1/8	21	18.5	8	10
G1/4	R1/4	25.5	23.5	11	13
G3/8	R3/8	28	26	12	17
G1/2	R1/2	34	31	14	21

PMSM Male-female-male tee adaptor




PART NO.					
Thread 1	Thread 2	L1	L2	L3	CH
G1/8	R1/8	37	21	8	10
G1/4	R1/4	47	25.5	11	13
G3/8	R3/8	52	28	12	17
G1/2	R1/2	62	34	14	21

PMS Male tee adaptor




PART NO.					
Thread	L1	L2	L3	CH	
G1/8	37	18.5	8	10	
G1/4	47	23.5	11	13	
G3/8	52	26	12	17	
G1/2	62	31	14	21	

PYF Female Y adaptor




PART NO.			
Thread	L1	L2	CH
G1/8	14	12	13
G1/4	17	14	17
G3/8	19	16	20
G1/2	25	19	25

PYM Female-male Y adaptor



PART NO.					
Thread 1	Thread 2	L1	L2	L3	CH
G1/8	R1/8	14	16	8	13
G1/4	R1/4	17	20	11	17
G3/8	R3/8	19	22	12	20
G1/2	R1/2	25	27	14	25

PFC Female cross adaptor



PART NO.			
Thread	L1	L2	CH
G1/8	42	42	13
G1/4	51	51	17
G3/8	56	56	20
G1/2	67	67	25